



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/997,449	11/30/2001	Shamim M. Malik	50623.134	3441
7590 11/01/2005			EXAMINER	
Squire, Sanders & Dempsey L.L.P.			HO, UYEN T	
Suite 300			ART UNIT	
One Maritime Plaza			PAPER NUMBER	
San Francisco, CA 94111			3731	

DATE MAILED: 11/01/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 09/997,449	Applicant(s) MALIK ET AL.	
	Examiner (Jackie) Tan-Uyen T. Ho	Art Unit 3731	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 16 August 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-16 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-16 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

1. Applicant's arguments filed 8/16/05 have been fully considered but they are not persuasive. Applicant argues that cited references of record do not teach implantation "on a molecular level". The carbon deposit and the plasma-polymerized film layer as disclosed by Keogh et al. would inherently involve the implantation of carbon on a molecular level (see col. 10-18) or with chemical reaction. As the technique as disclosed by Keogh et al. applied for the Wright et al.'s implant, all the limitations as claimed are met.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Keogh et al. (5,925,552) in view of Wright et al. (6,273,913). Keogh et al. disclose methods for attachment of drug to medical device surface such as stent by using carbon deposit to enhance the attachment and plasma polymerized film layer or layers deposited on the surface the stent for controlling drug release (col. 5-26). Although, Keogh et al. fails to disclose the stent including a modified surface so that the deposit of carbon, and drugs implanted at a depth within a surface of the stent, attention is

directed to the Wright et al. reference which discloses a stent having a modified surface including channels having a depth within a surface of the stent for holding drug (col. 3 to 7). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the surface of a stent before apply the drug onto the surface of Keogh et al.'s stent such that the stent having channels having a depth within the surface of a stent for holding drug in order to provide reservoirs which can hold a desired amount of drug and also in order to deliver the drug at a specific point of flexibility of the stent.

After careful reconsideration of this application, the rejection of the office action mailed on 8/16/05 is remained. The claims are product-by-process claims. The process limitation "implanted on a molecular level" has been considered but are deemed not to impose any structural limitations on the claims distinguishable over the Keogh et al. in view of Wright et al.'s stent which comprises a carbon deposit at a depth within a surface of the stent and the carbon deposit and other layers deposit involved chemical reactions. Therefore, the limitation "on a molecular level" is meet. As the surface of the stent being modified to have channels that have depth within the surface of the stent and a carbon deposit is in the channels, with the broadest reasonable interpretation, the cited arts meet the limitations of the claims, a stent comprising a carbon deposit at a depth within a surface of the stent.

The patentability of a product does not depend on its method of production. In re Pilkington, 411 F.2d 1345, 1348, 162 USPQ 145, 147 (CCPA 1969). If the product in a product-by-process claim is the same as or obvious from a product of the prior art, the

claim is unpatentable even though the prior product was made by a different process. In re Marosi, 710 F.2d 799, 803, 218 USPQ 289, 292-93 (Fed. Cir. 1983); Johnson & Johnson v. W.L. Gore, 436 F.Supp. 704, 726, 195 USPQ 487, 506 (D. Del. 1977); see also In re Fessman, 489 F.2d 742, 180 USPQ 324 (CCPA 1974).

Conclusion

4. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to (Jackie) Tan-Uyen T. Ho whose telephone number is 571-272-4696. The examiner can normally be reached on MULTIFLEX Mon. to Sat..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, ANHTUAN NGUYEN can be reached on 571-272-4963. The fax phone

Art Unit: 3731

number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



(Jackie) Tan-Uyen T. Ho
Patent Examiner
Art Unit 3731

October 28, 2005